

www.ThinkWise.com.cn
www.lcdarms.com.cn



V2022-12




Official wechat



Official customer service
WeChat

CS SERIES

PRODUCT CATALOGUE




+ SHANGHAI THINKWISE
INDUSTRIAL CO.LTD

CS100
Dynamic Monitor Arm



- Innovative quick-release mechanism and convenient upside locking clamp guarantees efficient installation. Streamline shape appearance and cable management make your office concise.
- Adjust your LCD to an ideal position only with a simple touch.
- Simple installation solves the problem for installing it small space.



Quick-release mechanism



Torsional spring



Metal shaft and sleeve applied



Clamp with upside locking



• USB available.

Technical
Data

LCD Size: 16:9 ≤34" \ 32:9 ≤49"

Wt. Capacity: 2-10 \ 8-20kg

Lift: 340mm

Tilt: -30°~+75°

Swivel: ±90°

Pivot: ±90°

VESA: 75×75mm \ 100×100mm

Packing Size: Inner: 560×235×125mm
Outer: 575×250×395mm
Inner/Outer: 3/1

N.W.: Inner \ 3.7kg Outer \ 11kg


G.W.: Inner \ 4.5kg Outer \ 14kg

Desk thickness: Thru-desk \ 10~50mm Desk clamp \ 10~50mm

CS111

Monitor arm for iMac

- Freely height adjustment to meet variable vision requirement;
- Constant-force gas cylinder to make adjusting smoothly and easily;
- Specially designed for i MAC monitor,you don't need to remove the built-in base to make installation due to all-in-one setting up design.



Wt. Capacity: 4-14kg

Lift: 340mm Swivel: ±90°

Packing Size: Inner: 560×235×125mm
Outer: 575×250×395mm
Inner/Outer: 3/1

N.W.: Inner: 3.5kg Outer: 10.5kg

G.W.: Inner: 4kg Outer: 12.5kg


Desk thickness: Thru-desk:10~50mm
Desk clamp:10~50mm



Specially designed connector
for iMac monitor.

CS114

Monitor arm for new iMac



Specially designed connector
for iMac monitor.

LCD Size: 24"\\Apple iMac:MGTF3CH/A

Wt. Capacity: 2-10kg Lift: 340mm

Swivel: ±90° Pivot: ±5°

Packing Size: Inner: 560×235×125mm
Outer: 575×250×395mm
Inner/Outer: 1/1

N.W.: Inner: 3.7kg Outer: 11kg

G.W.: Inner: 4.5kg Outer: 14kg


Desk thickness: Thru-desk:10~50mm
Desk clamp:10~50mm



CS108

Monitor arm for Samsung G9


- Freely height adjustable to different positions as desired.
- Single arm design will be much flexible in using at narrow and limited space.



	LCD Size: 32:9 ≤49" \ SAMSUNG: C49HG90DMC		
	Wt. Capacity: 8-20kg		
	Lift: 340mm		Swivel: ±90°
	Tilt: -30°~+75°		Pivot: 360°
	Packing Size: Inner: 560×235×125mm Outer: 575×250×395mm Inner/Outer :3/1		
	N.W.: Inner: 3.7kg Outer: 11kg		
	G.W.: Inner: 4.5kg Outer: 14kg		
	Desk thickness: Thru-desk:10~50mm Desk clamp:10~50mm		

CS101

Full motion desk mount
gas spring arm




	LCD Size: 16:9 ≤34" \ 32:9 ≤49"		
	Wt. Capacity: 2-10kg / 8-20kg		
	Lift: 340mm		Swivel: ±90°
	Tilt: -30°~+75°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Packing Size: Inner: 475×195×140mm Outer: 490×210×440mm Inner/Outer:3/1		
	N.W.: Inner: 3.9kg Outer: 11.7kg		
	G.W.: Inner: 4.5kg Outer: 14kg		
	Desk thickness: Thru-desk:10~70mm Desk clamp:10~80mm		



CS102

Full motion slatrail mount
gas spring arm





Clamp for slatrail

	LCD Size: 16:9 ≤34" \ 32:9 ≤49"		
	Wt. Capacity: 2-10kg / 8-20kg		
	Lift: 340mm		Swivel: ±90°
	Tilt: -30°~+75°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 560×235×125mm Packing Size: Outer: 575×250×395mm Inner/Outer:3/1		
	N.W.: Inner: 2.6kg Outer: 7.8kg		
	G.W.: Inner: 3.3kg Outer: 10.5kg		
	Desk clamp: 30~65mm		



CS106

Full motion desk mount gas spring arm for laptop




	LCD Size: ≤34"		
	Wt. Capacity: 2-10kg / 0.5-5kg		
	Lift: 340mm		Swivel: ±90°
	Tilt: -30°~+75°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 490×290×175mm Packing Size: Outer: 505×305×545mm Inner/Outer:3/1		
	N.W.: Inner: 5.2kg Outer: 15.6kg		
	G.W.: Inner: 6.5kg Outer: 21kg		
	Desk thickness: Thru-desk:10~50mm Desk clamp:10~50mm		



• USB available.

CS103

Full motion wall mount gas spring arm





Wall clamp

	LCD Size: 16:9 ≤34" \ 32:9 ≤49"		
	Wt. Capacity: 2-10kg		
	Lift: 340mm		Swivel: ±90°
	Tilt: -30°~+75°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 560×235×125mm Packing Size: Outer: 575×250×395mm Inner/Outer:3/1		
	N.W.: Inner: 2.6kg Outer:7.8kg		
	G.W.: Inner: 3.3kg Outer:10.5kg		
	Wall mount L× W: 44×35mm		



CS107

Full motion desk mount gas spring arm for laptop



	LCD Size: ≤34"		
	Wt. Capacity: 2-10kg / 0.5-5kg		
	Lift: 340mm		Swivel: ±90°
	Tilt: -30°~+75°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Packing Size:		
	Inner:475×195×140mm	Inner:250×250×130mm	
	Outer:490×210×440mm	Outer:265×265×410mm	
	Inner/Outer:3/1	Inner/Outer:3/1	
	N.W.:	Inner: 3.9kg	Inner: 0.9kg
		Outer: 11.7kg	Outer: 2.7kg
	G.W.:	Inner: 4.5kg	Inner: 1.1kg
		Outer: 14kg	Outer: 3.6kg
	Desk thickness: Thru-desk:10~70mm		
	Desk clamp:10~80mm		



Never dropping


Support 24-49 inch monitor

Weight capacity: 2-10kg/8-20kg



CS104

Full motion slatrail mount gas arm




	LCD Size: 16:9 ≤34" \ 32:9 ≤49"		
	Wt. Capacity: ≤13kg		Swivel: ±70°
	Tilt: -30°~+75°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 170×120×120mm Packing Size: Outer: 615×355×140mm Inner/Outer: 10/1		
	N.W.: Inner: 1.2kg Outer: 12kg		
	G.W.: Inner: 1.3kg Outer: 13.4kg		
	Desk clamp: 30~65mm		




CS105

Full motion wall mount arm





	LCD Size: 16:9 ≤34 " \ 32:9 ≤49 "		
	Wt. Capacity: ≤13kg		Swivel: ±70°
	Tilt: -30°~+75°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 170×120×120mm Packing Size: Outer: 615×355×140mm Inner/Outer :10/1		
	N.W.: Inner: 0.8kg Outer: 8kg		
	G.W.: Inner: 0.9kg Outer: 9.4kg		
	Wall mount L× W: 44×35mm		



CS109

Full motion slatrail mount gas arm



Clamp for slatrail

LCD Size: 16:9 ≤34" \ 32:9 ≤49"

Wt. Capacity: 2-10kg

Lift: 340mm Swivel: ±90°

Tilt: -30°~+75° Pivot: ±90°

VESA: 75×75mm \ 100×100mm

Packing Size: Inner: 560×235×125mm
Outer: 575×250×395mm
Inner/Outer: 3/1


N.W.: Inner: 3.2kg Outer: 9.6kg

G.W.: Inner: 4kg Outer: 12.5kg

Desk clamp: 30~65mm

CS113

Full motion wall mount gas arm



Wall clamp

LCD Size: 16:9 ≤34" \ 32:9 ≤49"

Wt. Capacity: 2-10kg / 8-20kg

Lift: 340mm Swivel: ±90°

Tilt: -30°~+75° Pivot: ±90°

VESA: 75×75mm \ 100×100mm

Packing Size: Inner: 560×235×125mm
Outer: 575×250×395mm
Inner/Outer: 3/1

N.W.: Inner: 3.2kg Outer: 9.6kg


G.W.: Inner: 4kg Outer: 12.5kg

Wall mount L×W: 28.6×104mm



CS129

Full motion slatrail mount gas arm



LCD Size: 16:9 ≤34" \ 32:9 ≤49"

Wt. Capacity: 2-10kg

Lift: 340mm Swivel: ±90°

Tilt: -30°~+75° Pivot: ±90°

VESA: 75×75mm \ 100×100mm

Packing Size: Inner: 480×245×145mm
Outer: 495×260×455mm
Inner/Outer: 3/1


N.W.: Inner: 3.9kg Outer: 11.7kg

G.W.: Inner: 4.4kg Outer: 13.7kg

Desk clamp: 30~65mm

CS115

Full motion wall mount gas arm
for Samsung G9



LCD Size: 32:9 ≤49" SAMSUNG: C49HG90DMC

Wt. Capacity: 8-20kg

Lift: 340mm Swivel: ±90°

Tilt: -30°~+75° Pivot: 360°

VESA: 75×75mm \ 100×100mm

Packing Size: Inner: 560×235×125mm
Outer: 575×250×395mm
Inner/Outer: 3/1

N.W.: Inner: 3.2kg Outer: 9.6kg

G.W.: Inner: 4kg Outer: 12.5kg


Wall mount L×W: 28.6×104mm





CS110

Full motion wall mount gas arm




	LCD Size: 16:9 ≤34" \ 32:9 ≤49"		
	Wt. Capacity: 2-10kg / 8-20kg		
	Lift: 340mm		Swivel: ±90°
	Tilt: -30°~+75°		Pivot: ±90°
	VESA: 75*75mm \ 100*100mm		
	Inner: 560*235*125mm Packing Size: Outer: 575*250*395mm Inner/Outer: 3/1		
	N.W.: Inner: 2.8kg Outer: 8.4kg		
	G.W.: Inner: 3.5kg Outer: 11kg		
	Wall mount L x W: 28.6*104mm		



CS133

Full motion slatrail mount gas arm for Samsung G9




	LCD Size: 32:9 ≤49" SAMSUNG: C49HG90DMC		
	Wt. Capacity: 8-20kg		
	Lift: 340mm		Swivel: ±90°
	Tilt: -30°~+75°		Pivot: 360°
	VESA: 75×75mm \ 100×100mm		
	Inner: 560×235×125mm Packing Size: Outer: 575×250×395mm Inner/Outer: 3/1		
	N.W.: Inner: 3.2kg Outer: 9.6kg		
	G.W.: Inner: 4kg Outer: 12.5kg		
	Desk clamp: 30~65mm		



CS131

Full motion slatrail mount gas arm




	LCD Size: 16:9 ≤34" \ 32:9 ≤49"		
	Wt. Capacity: 2-10kg		
	Lift: 340mm		Swivel: ±90°
	Tilt: -30°~+75°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 480×245×145mm Packing Size: Outer: 495×260×455mm Inner/Outer: 3/1		
	N.W.: Inner: 3.1kg Outer: 9.3kg		
	G.W.: Inner: 3.4kg Outer: 11kg		
	Desk clamp: 30~65mm		



CS134

Full motion slatrail mount gas arm for Samsung G9




	LCD Size: 32:9 ≤49" SAMSUNG: C49HG90DMC		
	Wt. Capacity: 8~20kg		
	Lift: 340mm		Swivel: ±90°
	Tilt: -30°~+75°		Pivot: 360°
	VESA: 75×75mm \ 100×100mm		
	Inner: 560×235×125mm Packing Size: Outer: 575×250×395mm Inner/Outer: 3/1		
	N.W.: Inner: 2.6kg Outer: 7.8kg		
	G.W.: Inner: 3.3kg Outer: 10.5kg		
	Desk clamp: 30~65mm		

CS200

Full motion dual monitor gas arm

 LCD Size: ≤32"
 Wt. Capacity: 2-10kg / 8-20kg
 Lift: 340mm
 Swivel: ±90°
 Tilt: -30°~+75°
 Pivot: ±90°
 VESA: 75×75mm \ 100×100mm

 Packing Size:	Inner: 535×225×130mm	Outer: 550×240×410mm	Inner/Outer: 3/1
 N.W.:	Inner: 6.4kg	Outer: 19.2kg	
 G.W.:	Inner: 6.8kg	Outer: 21kg	
 Desk thickness:	Thru-desk:20~45mm	Desk clamp:10~80mm	




CS201

Full motion dual monitor gas arm

 LCD Size: ≤32"
 Wt. Capacity: 2-10kg / 8-20kg
 Lift: 340mm
 Swivel: ±90°
 Tilt: -30°~+75°
 Pivot: ±90°
 VESA: 75×75mm \ 100×100mm

 Packing Size:	Inner: 535×225×130mm	Inner: 250×250×130mm	Outer: 550×240×410mm	Outer: 265×265×410mm	Inner/Outer: 3/1	Inner/Outer: 3/1
 N.W.:	Inner: 6.4kg	Inner: 0.9kg	Outer: 19.2kg	Outer: 2.7kg		
 G.W.:	Inner: 6.8kg	Inner: 1.1kg	Outer: 21kg	Outer: 3.6kg		
 Desk thickness:	Thru-desk:20~45mm		Desk clamp:10~80mm			




CS204

Full motion dual monitor gas arm

 LCD Size: ≤34"
 Wt. Capacity: 2-10kg / 8-20kg
 Lift: 340mm
 Swivel: ±90°
 Tilt: -30°~+75°
 Pivot: ±90°
 VESA: 75×75mm \ 100×100mm

 Packing Size:	Inner: 580×225×165mm	Inner: 250×250×130mm	Outer: 595×240×515mm	Outer: 265×265×410mm	Inner/Outer: 3/1	Inner/Outer: 3/1
 N.W.:	Inner: 7.2kg	Inner: 0.9kg	Outer: 21.6kg	Outer: 2.7kg		
 G.W.:	Inner: 7.7kg	Inner: 1.1kg	Outer: 23.5kg	Outer: 3.6kg		
 Desk thickness:	Thru-desk:10~60mm		Desk clamp:10~50mm			




CS205

Full motion dual monitor gas arm

 LCD Size: ≤32"
 Wt. Capacity: 2-10kg / 8-20kg
 Lift: 340mm
 Swivel: ±90°
 Tilt: -30°~+75°
 Pivot: ±90°
 VESA: 75×75mm \ 100×100mm


 Packing Size:	Inner: 580×225×165mm	Outer: 595×240×515mm	Inner/Outer: 3/1
 N.W.:	Inner: 7.2kg	Outer: 21.6kg	
 G.W.:	Inner: 7.7kg	Outer: 23.5kg	
 Desk thickness:	Thru-desk:10~60mm	Desk clamp:10~50mm	



CS203

Full motion dual monitor gas arm

- Frddly height and angle adjustable without any interference;
- Constant Force function design,use the gas cylinder structure to help easy adjustment for comfortable viewing;
- Pioneered idea for easy assembling way to solve the problem of the installation in tight spaces.




	LCD Size: ≤32"		
	Wt. Capacity: 2-10kg / 8-20kg		
	Lift: 340mm		Swivel: ±90°
	Tilt: -30°~+75°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 580×225×165mm Packing Size: Outer: 595×240×515mm Inner/Outer: 3/1		
	N.W.: Inner: 7.2kg Outer: 21.6kg		
	G.W.: Inner: 7.7kg Outer: 23.5kg		
	Desk thickness: Thru-desk:10~60mm Desk clamp:10~50mm		



CS210

Full motion slatrail mount dual
monitor gas arm




	LCD Size: 16.9" ≤ 34" \ 32.9" ≤ 49"	
	Wt. Capacity: 2-10kg	
	Swivel: ±90°	
	Tilt: -30°~+75°	
	VESA: 75×75mm \ 100×100mm	
	Inner: 645×275×165mm Packing Size: Outer: 660×290×515mm Inner/Outer: 3/1	
	N.W.: Inner: 6.2kg	Outer: 18.6kg
	G.W.: Inner: 6.9kg	Outer: 22kg
	Desk clamp: 30~65mm	

CS400


Full motion quad monitor gas arm

 LCD Size: ≤32"	 Packing Size: 965×255×150mm
 Wt. Capacity: 2-10kg	 N.W.: 10.5kg
 Lift: 340mm	 Swivel: ±90°
 Tilt: -30°~+75°	 Pivot: ±90°
 VESA: 75×75mm \ 100×100mm	 Desk thickness: Thru-desk:20~45mm Desk clamp:10~80mm



CS211

Full motion slatrail mount dual
monitor gas arm



	LCD Size: ≤34" \ 32:9 ≤49"	
	Wt. Capacity: 2-10kg	
	Height: 340mm	 Swivel: ±90°
	Tilt: -30°~+75°	 Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Inner: 645×275×165mm Packing Size: Outer: 660×290×515mm Inner/Outer: 3/1	
	N.W.: Inner: 7.4kg	Outer: 22.2kg
	G.W.: Inner: 8.1kg	Outer: 25.5kg
	Desk clamp: 30~65mm	

