

www.ThinkWise.com.cn
www.lcdarms.com.cn



V2022-12




Official wechat



Official customer service
WeChat

CT SERIES

PRODUCT CATALOGUE




+ SHANGHAI THINKWISE
INDUSTRIAL CO.LTD

CTS100

Dynamic Desktop Monitor Arm




	Screen Size: ≤34"		
	Wt. Capacity: 2~9kg		
	Lift: 250mm		Swivel: 180°/360°
	Tilt: -10°~+90°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Packing Size: Inner :490×245×105mm Master :505×260×330mm Inner/Master :3/1		
	N.W: Inner: 2.9 Master: 8.7		
	G.W: Inner: 3.5 Master: 11.5		
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm		



CTS102

Dynamic Desktop Monitor Arm




	Screen Size: ≤34"		
	Wt. Capacity: 2~9kg		
	Lift: 250mm		Swivel: 180°/360°
	Tilt: -10°~+90°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 585×265×120mm Packing Size: Master: 600×280×375mm Inner/Master: 3/1		
	N.W: Inner: 3.7	Master: 11.1	
	G.W: Inner: 4.4	Master: 14.4	
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm		



CTS104

Dynamic Desktop Monitor Arm




	Screen Size: ≤34"		
	Wt. Capacity: 2~9kg		
	Lift: 250mm		Swivel: 180°/360°
	Tilt: -10°~+90°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 490×245×105mm Master: 505×260×330mm Inner/Master : 3/1		
	N.W: Inner: 2.6	Master: 7.8	
	G.W: Inner: 3.2	Master: 10.6	
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm		



CTS103

Dynamic Desktop Monitor Arm




	Screen Size: ≤34"		
	Wt. Capacity: 2~9kg		
	Lift: 250mm		Swivel: 180°/360°
	Tilt: -10°~+90°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 585×265×120mm Packing Size: Master: 600×280×375mm Inner/Master: 3/1		
	N.W: Inner: 3.2	Master: 9.6	
	G.W: Inner: 3.9	Master: 12.9	
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm		



CTS106

Slat Rail Mounted Monitor Arm




	Screen Size: ≤34"		
	Wt. Capacity: 2~9kg		
	Lift: 250mm		Swivel: 180°/360°
	Tilt: -10°~+90°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 490×245×105mm Master: 505×260×330mm Inner/Master : 3/1		
	N.W: Inner: 1.8	Master: 5.4	
	G.W: Inner: 2.4	Master: 8.2	
	Slat rail clamp range: 30~65mm		




CTS107

Slat Rail Mounted Monitor Arm




	Screen Size: ≤34"
	Wt. Capacity: 2~9kg
	Swivel: 180°/360°
	Tilt: -10°~+90°
	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm
	Packing Size: Inner: 170×120×120mm Master: 615×355×140mm Inner/Master : 3/1
	N.W: Inner: 0.7 Master: 7.0
	G.W: Inner: 0.9 Master: 10.0
	Slat rail clamp range: 30~65mm



CTS110

Wall Mounted Monitor Arm




	Screen Size: ≤34"
	Wt. Capacity: 2~9kg
	Lift: 250mm
	Swivel: 180°/360°
	Tilt: -10°~+90°
	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm
	Packing Size: Inner: 490×245×105mm Master: 505×260×330mm Inner/Master : 3/1
	N.W: Inner: 2.0 Master: 6.0
	G.W: Inner: 2.6 Master: 8.8
	Hole Size: 50×50mm



CTS108

Slat Rail Mounted Monitor Arm




	Screen Size: ≤34"
	Wt. Capacity: 2~9kg
	Lift: 250mm
	Swivel: 180°/360°
	Tilt: -10°~+90°
	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm
	Packing Size: Inner: 490×245×105mm Master: 505×260×330mm Inner/Master : 3/1
	N.W: Inner: 2.3 Master: 6.9
	G.W: Inner: 3.0 Master: 10.0
	Slat rail clamp range: 30~65mm



CTS112

Wall Mounted Monitor Arm




	Screen Size: ≤34"
	Wt. Capacity: 2~9kg
	Lift: 250mm
	Swivel: 180°/360°
	Tilt: -10°~+90°
	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm
	Packing Size: Inner: 490×245×105mm Master: 505×260×330mm Inner/Master : 3/1
	N.W: Inner: 2.5 Master: 7.5
	G.W: Inner: 3.2 Master: 10.6
	Hole Size: 50×50mm



CTS201

Dual Dynamic Desktop
Monitor Arm




	Screen Size: ≤22"		
	Wt. Capacity: 2~9kg		
	Lift: 250mm		Swivel: 180°/360°
	Tilt: -10°~+90°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 685×280×125mm Packing Size: Master: 700×295×395mm Inner/Master : 3/1		
	N.W: Inner: 4.8	Master: 14.4	
	G.W: Inner: 5.8	Master:	
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm		



CTS301

Triple Dynamic Monitor Arm




	Screen Size: ≤32"		
	Wt. Capacity: 2~9kg		
	Lift: 250mm		Swivel: 180°/360°
	Tilt: -10°~+90°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Packing Size: 755×275×135mm		
	N.W: 7.3		
	G.W: 8.5		
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm		



CTS202

Dual Dynamic Desktop
Monitor Arm




	Screen Size: ≤34"		
	Wt. Capacity: 2~9kg		
	Lift: 250mm		Swivel: 180°/360°
	Tilt: -10°~+90°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 840×220×145mm Packing Size: Master: 855×235×455mm Inner/Master : 3/1		
	N.W: Inner: 5.3	Master: 15.9	
	G.W: Inner: 6.5	Master: 21.1	
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm		



CTS401

Quad Dynamic Monitor Arm




	Screen Size: ≤34"		
	Wt. Capacity: 2~9kg		
	Lift: 250mm		Swivel: 180°/360°
	Tilt: -10°~+90°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Packing Size: 910×335×135mm		
	N.W: 10.6		
	G.W: 12.1		
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm		



CTS600

Sextuple Dynamic Monitor Arm




	Screen Size: ≤32"		
	Wt. Capacity: 2~9kg		
	Lift: 250mm		Swivel: 180°/360°
	Tilt: -10°~+90°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Packing Size: 845×465×135mm		
	N.W: 13.7		
	G.W: 15.5		
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm		



CTM100

Pole arm




	Screen Size: ≤34"		
	Wt. Capacity: ≤12kg		 Post Height: 400mm
	Lift: 250mm		 Swivel: 180°/360°
	Tilt: -10°~+90°		 Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Inner: 585×265×120mm Packing Size: Master: 600×280×375mm Inner/Master : 3/1		
	N.W: Inner: 3.1 Master: 9.3		
	G.W: Inner: 3.8 Master: 12.5		
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm		



CTM101

Pole Arm




	Screen Size: ≤34"	
	Wt. Capacity: ≤12kg	Post Height: 400mm
	Lift: 300mm	Swivel: 180°/360°
	Tilt: -10°~+90°	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Inner: 585×265×120mm Packing Size: Master: 600×280×375mm Inner/Master : 3/1	
	N.W: Inner: 2.55 Master: 7.65	
	G.W: Inner: 3.3 Master: 11.0	
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm	




CTM103

Slat Rail Mounted Monitor Arm




	Screen Size: ≤34"	
	Wt. Capacity: ≤12kg	
	Swivel: 180°/360°	
	Tilt: -10°~+90°	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Inner: 520×160×130mm Packing Size: Master: 535×175×410mm Inner/Master : 3/1	
	N.W: Inner: 1.7 Master: 5.1	
	G.W: Inner: 2.4 Master: 8.2	
	Slat rail clamp range: 30~65mm	



CTM102

Pole Arm




	Screen Size: ≤34"	
	Wt. Capacity: ≤12kg	Post Height: 400mm
	Lift: 300mm	Swivel: 180°/360°
	Tilt: -10°~+90°	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Inner: 585×265×120mm Packing Size: Master: 600×280×375mm Inner/Master : 3/1	
	N.W: Inner: 2.05 Master: 6.2	
	G.W: Inner: 2.8 Master: 9.2	
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm	



CTM104

Slat Rail Mounted Monitor Arm




	Screen Size: ≤34"	
	Wt. Capacity: ≤12kg	
	Swivel: 180°/360°	
	Tilt: -10°~+90°	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Inner: 520×160×130mm Packing Size: Master: 535×175×410mm Inner/Master : 3/1	
	N.W: Inner: 1.2 Master: 3.6	
	G.W: Inner: 1.9 Master: 6.7	
	Slat rail clamp range: 30~65mm	




CTM105

Wall Mounted Monitor Arm




	Screen Size: ≤34"	
	Wt. Capacity: ≤12kg	
	Swivel: 180°/360°	
	Tilt: -10°~+90°	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Packing Size: Inner: 520×160×130mm Master: 535×175×410mm Inner/Master : 3/1	
	N.W: Inner: 1.9	Master: 5.7
	G.W: Inner: 2.6	Master: 8.8
	Hole Size: 50×50mm	



CTM200

Pole Double Monitor Arm




	Screen Size: ≤34"	
	Wt. Capacity: ≤12kg	Post Height: 400mm
	Lift: 300mm	Swivel: 180°/360°
	Tilt: -10°~+90°	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Packing Size: Inner: 685×280×125mm Master: 700×295×395mm Inner/Master : 3/1	
	N.W: Inner: 4.6	Master: 13.8
	G.W: Inner: 5.6	Master: 18.4
	Desktop Thickness:	Grommet :15~50mm Clamp :15~50mm




CTM106

Wall Mounted Monitor Arm




	Screen Size: ≤34"	
	Wt. Capacity: ≤12kg	
	Swivel: 180°/360°	
	Tilt: -10°~+90°	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Packing Size: Inner: 520×160×130mm Master: 535×175×410mm Inner/Master : 3/1	
	N.W: Inner: 1.4	Master: 4.2
	G.W: Inner: 2.1	Master: 7.3
	Hole Size: 50×50mm	



CTM201

Pole Double Monitor Arm




	Screen Size: ≤34"	
	Wt. Capacity: ≤12kg	
	Post Height: 700mm	Swivel: 180°/360°
	Tilt: -10°~+90°	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Packing Size: Inner: 840×220×145mm Master: 855×235×455mm Inner/Master : 3/1	
	N.W: Inner: 3.0	Master: 9.0
	G.W: Inner: 3.7	Master: 12.1
	Desktop Thickness:	Grommet :15~50mm Clamp :15~50mm



CTM202

Pole Double Monitor Arm




	Screen Size: ≤34"	
	Wt. Capacity: ≤12kg	Post Height: 400mm
	Lift: 300mm	Swivel: 180°/360°
	Tilt: -10°~+90°	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Inner: 540×175×130mm Packing Size: Master: 555×190×410mm Inner/Master : 3/1	
	N.W: Inner: 2.5 Master: 7.5	
	G.W: Inner: 3.1 Master: 10.3	
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm	



CTM400

Pole Quad Monitor Arm




	Screen Size: ≤34"	
	Wt. Capacity: ≤12kg	
	Post Height: 700mm	Swivel: 180°/360°
	Tilt: -10°~+90°	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Packing Size: 910×335×135mm	
	N.W: 8.2	
	G.W: 9.8	
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm	



CTM300

Pole Triple Monitor Arm




	Screen Size: ≤32"	
	Wt. Capacity: ≤8kg	Post Height: 400mm
	Lift: 250mm	Swivel: 180°/360°
	Tilt: -10°~+90°	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Packing Size: 755×275×135mm	
	N.W: 6.1	
	G.W: 7.4	
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm	



CTM401

Pole Quad Monitor Arm




	Screen Size: ≤34"	
	Wt. Capacity: ≤12kg	Post Height: 400mm
	Lift: 300mm	Swivel: ±90°
	Tilt: -10°~+90°	Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Inner: 840×220×145mm Packing Size: Master: 855×235×455mm Inner/Master : 3/1	
	N.W: Inner: 4.0 Master: 12.0	
	G.W: Inner: 4.7 Master: 15.1	
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm	





CTM500

Pole Quintuple Monitor Arm




	Screen Size: ≤32"		
	Wt. Capacity: ≤8kg		
	Post Height: 700mm		Swivel: 180°/360°
	Tilt: -10°~+90°		Pivot: ±90°
	VESA: 75×75mm \ 100×100mm		
	Packing Size: 845×465×135mm		
	N.W: 9.7		
	G.W: 11.5		
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm		



CTM600

Pole Sextuple Monitor Arm



	Screen Size: ≤32"	
	Wt. Capacity: ≤8kg	
	Post Height: 700mm	 Swivel: 180°/360°
	Tilt: -10°~+90°	 Pivot: ±90°
	VESA: 75×75mm \ 100×100mm	
	Packing Size: 845×465×135mm	
	N.W: 11.2	
	G.W: 13.0	
	Desktop Thickness: Grommet :15~50mm Clamp :15~50mm	

